

Docket NO. PHP-168

AMENDMENTS

In the Claims

The following listing of claims replaces all prior versions of the claims in the application:

- 1 (currently amended). An electronic message management system comprising:
- an electronic computer system in operative communication with a global digital communications network[[;]], and an electronic message management database in operative communication with the computer system; the electronic computer system having
 - a recipient profile application for receiving recipient profile data from recipients via the global network and storing the recipient data in the database, the profile data including delivery parameters specified by a recipient of where, when and how specific types of messages from specific messengers are delivered to the recipient,
 - a messenger profile application for receiving messenger profile data from messengers via the global network and storing the messenger data in the database, including messenger identifying data,
 - a message input application for receiving message files from a messenger via the global network and storing the message files in the database, and
 - an individual message generator in communication with the database and operative to access and utilize data and files from the database to generate an individual message to be sent to the recipient specified by the messenger via the global communications network according to the delivery parameters, and a message management server operating system; and
 - the message management database including recipient and messenger profile databases for storing recipient and messenger profile data respectively, and a message database for storing message data files.

Docket NO. PHP-168

2 (cancelled).

3 (cancelled).

4 (cancelled).

5 (currently amended). The electronic message management system of ~~claim-2~~ claim1, wherein the recipient profile application includes a global network interactive recipient profile input form, the recipient profile input form being accessible to a recipient computer via the global digital communications network.

6 (currently amended). The electronic message management system of ~~claim-2~~ claim1, wherein the messenger profile application includes a global network interactive messenger profile input form, the messenger profile input form being accessible to a messenger computer via the global digital communications network.

7 (currently amended). The electronic message management system of ~~claim-2~~ claim1, wherein the message input application includes an interactive global network message input form, the message input form being accessible to a messenger computer via the global communications network.

8 (currently amended). The electronic message management system of ~~claim-2~~ claim1, wherein the recipient profile application further comprises a network interface and a recipient profile editor for receiving recipient profile data from a recipient computer via the global network interface and for manipulating the recipient profile database to store the recipient profile data.

Docket NO. PHP-168

9 (currently amended). The electronic message management system of ~~claim 2~~ claim 1, wherein the messenger profile application further comprises a global network interface and a messenger profile editor for receiving messenger profile data from a messenger computer via the global network interface and for manipulating the messenger profile database to store the messenger profile data.

10 (currently amended). The electronic message management system of ~~claim 2~~ claim 1, wherein the message input application further comprises a global network interface and a message data file editor for receiving a message file data from a messenger computer via the global network interface and for manipulating the message database to store the message data file.

11 (original). A method of inputting data into the message management system of claim 1 from client computers via a global communications network, to centrally manage the distribution and delivery format of electronic messages from multiple messenger sources to multiple individual recipients, comprising the steps of:

providing the client computers with access to the message management system via a global communications network, where the client computers are messenger and recipient computers;

receiving a connectivity request from a client computer for access to the message management system to input data;

connecting the client computer to the message management system via the global communication network;

prompting the client computer for the data to be input by providing a data input form to the client computer; and

accepting input data from the client computer and entering the input data into an electronic message management database of the message management system.

Docket NO. PHP-168

12 (original). The method of claim 11, wherein the prompting step includes providing an input form to the client computer.

13 (original). The method of claim 11, wherein the prompting step includes providing an input form to the client computer, the input form being at least one input form selected from the group consisting of a recipient profile form, a messenger profile form, and a message input form.

14 (original). The method of claim 11, wherein the accepting step includes entering the input data into an electronic message management database comprising a recipient profile database, a messenger profile database, and a message database.

15 (cancelled).

16 (cancelled).

17 (currently amended). The electronic message management system of ~~claim 2~~ claim 1, wherein the messenger profile application receives and stores messenger profile data, including recipient identifications and recipient profiles, which messages to deliver to the recipients and profiles stored.

18 (original). The messenger profile application of claim 17, further comprising recipient identification and recipient profiles for recipients who are prevented from receiving a message from the messenger.

19 (currently amended). The electronic message management system of ~~claim 2~~ claim 1, wherein the individual message generator communicates with the database to identify messages and messenger parameters that are compatible with a recipient profile, and to configure the messages for delivery to the recipient.

Docket NO. PHP-168

20 (currently amended). The electronic message management system of ~~claim 2~~ claim 1, wherein the individual message generator generates and sends the individual message via a means selected from the group consisting of: electronic mail, voice telephone, facsimile transmission, and digital transmission.

21 (currently amended). The electronic message management system of ~~claim 2~~ claim 1, wherein the individual message generator generates the individual message and sends the individual message via a means selected from the group consisting of an electronic means and a hardcopy means.

22 (original). The electronic message generator system of claim 21, wherein the individual message generator generates the individual message and sends the individual message via an electronic means selected from the group consisting of electronic mail, voice telephone, facsimile transmission, digital transmission, computer network, voice mail, SMS, telex, and wireless transmission.

23 (original). The electronic message generator system of claim 21, wherein the individual message generator generates the individual message and sends the individual message via a hardcopy means selected from the group consisting of paper media, magnetic media, and optical media.